

Attending a Grayslake Park District Program:

To help protect against the spread of COVID-19 and other viruses and for the safety of our staff and participants, we are asking all parents/guardians to review and adhere to the procedures below prior to dropping off your child(ren) at a Grayslake Park District program.

Parents/guardians should review all of these steps collectively, as one or more may indicate that a child(ren) should not attend a program as well as provide guidance on when a child(ren) may return to participate again. Parent/Guardian may be asked to initial at the time of drop off that they have conducted a Daily Self Check for each child registered.

Daily Self Check

Prior to drop off, parents/guardians should confirm the following:

- Is my child experiencing flu like symptoms (fever, body aches, severe congestion, shortness of breath, extreme fatigue, nausea, vomiting or diarrhea)?
 - No proceed to the program
 - Yes Stay Home
- Is there a fever or has there been a fever within the past 24 hours at or above 100.4 degrees Fahrenheit?
 - o No proceed to the program
 - o Yes don't proceed to the program
- Has my child said they don't feel good within the past 24 hours?
 - o No proceed to the program
 - o Yes Stay Home

The participant can return to the program when:

- They have had no fever, vomiting or diarrhea for at least 24 hours
- Other symptoms have improved
- If your child has been sick for more than 3-days, it is highly recommended that the child be given a COVID test.

Please note: The Park District reserves the right to call a parent / guardian to pick-up their child if they notice the child experiencing flu-like symptoms during the program.

Please read over and follow the COVID-19 Program Procedures listed on the next page.

Grayslake Community Park District COVID-19 Program Procedures:

If COVID Positive, regardless of vaccination status:

- Isolate for 5 days after onset of symptoms.
- Isolate for 5 days after date of positive COVID test if no symptoms.
- To calculate the 5- day isolation period, day 0 is the first day of symptoms or specimen collection date if asymptomatic.
- If you continue to have fever or other symptoms have not improved after 5 days of isolation, you should wait to end isolation until fever-free for 24 hours and other symptoms have improved.

How does the new quarantine guidance impact participants who are considered close contacts to someone who tested positive with COVID-19?

If Close Contact:

If:	Then:
*Age 18 or older and have received all	Quarantine not required.
recommended vaccine doses, including boosters	
OR	Wear a mask around others for 10 days.
*Age 5-17 years and completed the primary series	
of COVID-19 vaccines	Test on day 5, if possible.
OR	
*Confirmed COVID-19 within the last 90 days (you	If symptoms develop, immediately isolate until a
tested positive using a viral test).	negative test confirms symptoms are not caused by
	COVID-19.
*Age 18 or older and completed the primary series	Quarantine and mask around others for 5 days.
of recommended vaccine, but have not received a	
booster shot	After 5 days, may return to Park District program.
OR	Continue to wear a mask around others for 5
*Unvaccinated or have not completed a primary	additional days.
vaccine series.	
OR	Test on day 5, if possible.
*Received the single-dose Johnson & Johnson	
vaccine (completing the primary series) over 2	If symptoms develop, immediately isolate until a
months ago and have not received a booster shot.	negative test confirms symptoms are not caused by
	COVID-19.

This document was created by guidelines provided by IDPH and CDC.